

**Safety Data Sheet**  
**WEST SYSTEM® 207 Special Clear Hardener**

Revision Date:  
6 February, 2026

## SECTION 1. IDENTIFICATION

### Product identifier

**Product Identity** WEST SYSTEM® 207 Special Clear Hardener  
**Other means of identification** Not Applicable

### Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

### Details of the supplier of the safety data sheet

**Company Name** West System  
Gougeon Brothers, Inc.  
100 Patterson Ave.  
Bay City, MI 48706, U.S.A.

**Emergency**  
**24 hour Emergency Telephone No.** Transportation  
CHEMTREC: 800-424-9300 (U.S.)  
703-527-3887 (International)  
Non-transportation  
Poison Hotline: ..... 800-222-1222

**Customer Service:** 866-937-8797  
www.westsystem.com

## SECTION 2. HAZARD(S) IDENTIFICATION

### Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

|                                                      |                                          |
|------------------------------------------------------|------------------------------------------|
| Acute toxicity(oral), category 4;H302                | Harmful if swallowed.                    |
| Skin corrosion/irritation category 1;H314            | Causes severe skin burns and eye damage. |
| Serious eye damage / eye irritation, category 1;H318 | Causes serious eye damage.               |
| Skin sensitizer category 1;H317                      | May cause an allergic skin reaction.     |
| Germ cell mutagenicity, category 2;H341              | Suspected of causing genetic defects.    |

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

Specific target organ toxicity, repeated exposure  
category 2;H373  
Aquatic toxicity (chronic), category 3;H412

May cause damage to organs through prolonged or  
repeated exposure.  
Harmful to aquatic life with long lasting effects.

### Label elements



## Danger

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H341 Suspected of causing genetic defects.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

### [Prevention]

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust, fume, mist, vapors or spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves, protective clothing, eye protection, face protection.

### [Response]

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.  
P302+312 IF ON SKIN: Call a POISON CENTER or doctor , physician if you feel unwell  
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+312 IF INHALED: Call a poison center or doctor or physician if you feel unwell.

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P310 Immediately call a POISON CENTER, doctor or physician.

P314 Get Medical advice or attention if you feel unwell.

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

### [Storage]

P405 Store locked up.

### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

### Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does NOT contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the US EPA PFASMASTER combined list of PFAS chemicals.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

| Ingredient/Chemical Designations                                                                                                                                                                                                 | Weight % | GHS Classification                                                                                                                                                   | Notes             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trimethylhexamethylenediamine<br>CAS Number: 25620-58-0<br>Synonyms: "trimetilheksametilendiamin"; "id",<br>Trimetylhexanmetylen diamin                                                                                          | 30 - 60  | Acute toxicity(oral), category 4;H302<br>Skin corrosion/irritation category 1;H314<br>Skin sensitizer category 1;H317<br>Aquatic toxicity (chronic), category 3;H412 | No data available |
| Polyoxypropylenediamine<br>CAS Number: 9046-10-0<br>Synonyms: No available information                                                                                                                                           | 10 - 30  | Skin corrosion/irritation category 1C;H314<br>Serious eye damage / eye irritation, category 1;H318<br>Aquatic toxicity (acute), category 3;H402                      | No data available |
| Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, reaction products with 2,2,4(or 2,4,4)-trimet<br>CAS Number: 111850-23-8<br>Synonyms: Reaction product of 4,4'-(1-methylethylidene)bisphenol, polymer | 10 - 30  | Not Classified                                                                                                                                                       | No data available |
| Isophorone diamine<br>CAS Number: 2855-13-2<br>Synonyms: Isophoron diamin                                                                                                                                                        | 10 - 30  | Acute toxicity(oral), category 4;H302<br>Skin corrosion/irritation category 1B;H314                                                                                  | No data available |

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

| Ingredient/Chemical Designations                                     | Weight % | GHS Classification                                                                                                                                                                                                                                                                                                                                                                                                                        | Notes             |
|----------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
|                                                                      |          | Serious eye damage / eye irritation, category 1;H318<br>Skin sensitizer category 1A;H317 C ≥ 0,001 %                                                                                                                                                                                                                                                                                                                                      |                   |
| Phenol<br>CAS Number: 108-95-2<br>Synonyms: No available information | 7 - 13   | Germ cell mutagenicity, category 2;H341<br>Acute toxicity(inhalation), category 3;H331<br>Acute toxicity(dermal), category 3;H311<br>Acute toxicity(oral), category 3;H301<br>Specific target organ toxicity, repeated exposure category 2;H373<br>Skin corrosion/irritation category 1B;H314: C ≥ 3 %<br>Skin corrosion/irritation category 2;H315: 1 % ≤ C < 3 %<br>Serious eye damage / eye irritation, category 2;H319: 1 % ≤ C < 3 % | No data available |

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## SECTION 4. FIRST AID MEASURES

### Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

**Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

Reproductive or genetic defect hazard. Treat symptomatically. See section 2 for further details.

**Eyes** Causes serious eye damage.

**Skin** May cause an allergic skin reaction. Causes severe skin burns and eye damage.

**Ingestion** Harmful if swallowed.

**Safety Data Sheet**  
**WEST SYSTEM® 207 Special Clear Hardener**

Revision Date:  
6 February, 2026

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

### **Special hazards arising from the substance or mixture**

Hazardous decomposition: No hazardous decomposition data available.  
Do not breathe dust, fume, mist, vapors or spray.

### **Advice for fire-fighters**

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

**ERG Guide No.**

154

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

Put on appropriate personal protective equipment (see section 8).  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### **Environmental precautions**

Do not allow spills to enter drains or waterways.

### **Methods and material for containment and cleaning up**

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.  
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## **SECTION 7. HANDLING AND STORAGE**

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.  
See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information  
See section 2 for further details. - [Storage]

### Specific end use(s)

No available information

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### Exposure Limits

| CAS No.     | Ingredient                                                                                                               | Source | Value                                                                                   |
|-------------|--------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------|
| 108-95-2    | Phenol                                                                                                                   | OSHA   | 5 ppm, 19 mg/m <sup>3</sup>                                                             |
|             |                                                                                                                          | ACGIH  | TWA: 5 ppm                                                                              |
|             |                                                                                                                          | NIOSH  | TWA 5 ppm (19 mg/m <sup>3</sup> ) C 15.6 ppm (60 mg/m <sup>3</sup> ) [15-minute] [skin] |
| 2855-13-2   | Isophorone diamine                                                                                                       | OSHA   | No Established Limit                                                                    |
|             |                                                                                                                          | ACGIH  | No Established Limit                                                                    |
|             |                                                                                                                          | NIOSH  | No Established Limit                                                                    |
| 9046-10-0   | Polyoxypropylenediamine                                                                                                  | OSHA   | No Established Limit                                                                    |
|             |                                                                                                                          | ACGIH  | No Established Limit                                                                    |
|             |                                                                                                                          | NIOSH  | No Established Limit                                                                    |
| 25620-58-0  | Trimethylhexamethylenediamine                                                                                            | OSHA   | No Established Limit                                                                    |
|             |                                                                                                                          | ACGIH  | No Established Limit                                                                    |
|             |                                                                                                                          | NIOSH  | No Established Limit                                                                    |
| 111850-23-8 | Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, reaction products with 2,2,4(or 2,4,4)-trimet | OSHA   | No Established Limit                                                                    |
|             |                                                                                                                          | ACGIH  | No Established Limit                                                                    |
|             |                                                                                                                          | NIOSH  | No Established Limit                                                                    |

### Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

**Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                                        |                                                                                                    |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Physical State</b>                                  | Liquid                                                                                             |
| <b>Color</b>                                           | Amber                                                                                              |
| <b>Odor</b>                                            | Amoniacal                                                                                          |
| <b>Odor threshold</b>                                  | No available information                                                                           |
| <b>Melting point / freezing point</b>                  | No available information                                                                           |
| <b>Initial boiling point and boiling range</b>         | > 400°F (204°C)                                                                                    |
| <b>Flammability (solid, gas)</b>                       | Not Applicable                                                                                     |
| <b>Upper/lower flammability or explosive limits</b>    | Lower Explosive Limit: No available information<br>Upper Explosive Limit: No available information |
| <b>Flash Point</b>                                     | Estimated > 200°F (93°C) estimated based on ingredient data.                                       |
| <b>Auto-ignition temperature</b>                       | No available information                                                                           |
| <b>Decomposition temperature</b>                       | No available information                                                                           |
| <b>pH</b>                                              | 10.3                                                                                               |
| <b>Viscosity (cSt)</b>                                 | No available information                                                                           |
| <b>Solubility in Water</b>                             | No available information                                                                           |
| <b>Partition coefficient n-octanol/water (Log Kow)</b> | No available information                                                                           |
| <b>Vapor pressure (Pa)</b>                             | No available information                                                                           |
| <b>Relative Density</b>                                | .98                                                                                                |
| <b>Vapor Density</b>                                   | No available information                                                                           |
| <b>Evaporation rate (Ether = 1)</b>                    | No available information                                                                           |
| <b>VOC Content</b>                                     | Resin/Hardener (g/L)(lb/gal) 105 / 207 9.13 0.08                                                   |
| <b>Oxidising properties</b>                            | No available information                                                                           |
| <b>Explosive properties</b>                            | No available information                                                                           |
| <b>Kinematic Viscosity</b>                             | 265.3 mm <sup>2</sup> /s @ 20°C                                                                    |
| <b>Bulk Density</b>                                    | 8.15 lbs./gal. (0.98 kg/L)                                                                         |

### Other information

No other relevant information.

**Safety Data Sheet**  
**WEST SYSTEM® 207 Special Clear Hardener**

Revision Date:  
6 February, 2026

## SECTION 10. STABILITY AND REACTIVITY

**Reactivity**

Hazardous Polymerization will not occur.

**Chemical stability**

Stable under normal circumstances.

**Possibility of hazardous reactions**

No available information

**Conditions to avoid**

Avoid high temperatures and contact with incompatible material

**Incompatible materials**

No available information

**Hazardous decomposition products**

No hazardous decomposition data available.

## SECTION 11. TOXICOLOGICAL INFORMATION

**Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient                                                                                                                                      | Oral LD50,<br>mg/kg            | Skin LD50,<br>mg/kg                  | Inhalation<br>Vapor<br>LC50,<br>mg/L/4hr | Inhalation<br>Dust/Mist<br>LC50,<br>mg/L/4hr | Inhalation<br>Gas LC50,<br>ppm |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------|------------------------------------------|----------------------------------------------|--------------------------------|
| Trimethylhexamethylenediamine - (25620-58-0)                                                                                                    | 1405.00, Rat -<br>Category: 4  | No data<br>available.                | No data<br>available.                    | No data<br>available.                        | No data<br>available.          |
| Polyoxypropylenediamine - (9046-10-0)                                                                                                           | 2,885.00, Rat -<br>Category: 5 | 2,980.00,<br>Rabbit -<br>Category: 5 | No data<br>available.                    | No data<br>available.                        | No data<br>available.          |
| Phenol, 4,4'-(1-methylethylidene)bis-, polymer with<br>(chloromethyl)oxirane, reaction products with 2,2,4(or 2,4,4)-<br>trimet - (111850-23-8) | No data<br>available.          | No data<br>available.                | No data<br>available.                    | No data<br>available.                        | No data<br>available.          |
| Isophorone diamine - (2855-13-2)                                                                                                                | 1,030.00, Rat -<br>Category: 4 | 2,000.00,<br>Rabbit -<br>Category: 4 | No data<br>available.                    | 5.02, Rat -<br>Category: NA                  | No data<br>available.          |



# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

| Ingredient          | Oral LD50,<br>mg/kg          | Skin LD50,<br>mg/kg          | Inhalation<br>Vapor<br>LC50,<br>mg/L/4hr | Inhalation<br>Dust/Mist<br>LC50,<br>mg/L/4hr | Inhalation<br>Gas LC50,<br>ppm |
|---------------------|------------------------------|------------------------------|------------------------------------------|----------------------------------------------|--------------------------------|
| Phenol - (108-95-2) | 282.00, Rat -<br>Category: 3 | 630.00, Rat -<br>Category: 3 | No data<br>available.                    | No data<br>available.                        | No data<br>available.          |

### Carcinogen Data

| CAS No.     | Ingredient                                                                                                               | Source | Value                        |
|-------------|--------------------------------------------------------------------------------------------------------------------------|--------|------------------------------|
| 108-95-2    | Phenol                                                                                                                   | OSHA   | Regulated Carcinogen:<br>No; |
|             |                                                                                                                          | NTP    | Known: No;<br>Suspected: No; |
|             |                                                                                                                          | IARC   | Group 3                      |
|             |                                                                                                                          | ACGIH  | A4                           |
| 2855-13-2   | Isophorone diamine                                                                                                       | OSHA   | Regulated Carcinogen:<br>No; |
|             |                                                                                                                          | NTP    | Known: No;<br>Suspected: No; |
|             |                                                                                                                          | IARC   | No                           |
|             |                                                                                                                          | ACGIH  | No Established Limit         |
| 9046-10-0   | Polyoxypropylenediamine                                                                                                  | OSHA   | Regulated Carcinogen:<br>No; |
|             |                                                                                                                          | NTP    | Known: No;<br>Suspected: No; |
|             |                                                                                                                          | IARC   | No                           |
|             |                                                                                                                          | ACGIH  | No Established Limit         |
| 25620-58-0  | Trimethylhexamethylenediamine                                                                                            | OSHA   | Regulated Carcinogen:<br>No; |
|             |                                                                                                                          | NTP    | Known: No;<br>Suspected: No; |
|             |                                                                                                                          | IARC   | No                           |
|             |                                                                                                                          | ACGIH  | No Established Limit         |
| 111850-23-8 | Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, reaction products with 2,2,4(or 2,4,4)-trimet | OSHA   | Regulated Carcinogen:<br>No; |
|             |                                                                                                                          | NTP    | Known: No;<br>Suspected: No; |
|             |                                                                                                                          | IARC   | No                           |
|             |                                                                                                                          | ACGIH  | No Established Limit         |

| Classification                | Category | Hazard Description                       |
|-------------------------------|----------|------------------------------------------|
| Acute toxicity (oral)         | 4        | Harmful if swallowed.                    |
| Acute toxicity (dermal)       | ---      | Not Applicable                           |
| Acute toxicity (inhalation)   | ---      | Not Applicable                           |
| Skin corrosion/irritation     | 1        | Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | 1        | Causes serious eye damage.               |
| Respiratory sensitization     | ---      | Not Applicable                           |
| Skin sensitization            | 1        | May cause an allergic skin reaction.     |
| Germ cell mutagenicity        | 2        | Suspected of causing genetic defects.    |
| Carcinogenicity               | ---      | Not Applicable                           |
| Reproductive toxicity         | ---      | Not Applicable                           |

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

|                        |     |                                                                    |
|------------------------|-----|--------------------------------------------------------------------|
| STOT-single exposure   | --- | Not Applicable                                                     |
| STOT-repeated exposure | 2   | May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard      | --- | Not Applicable                                                     |

### Possible routes of entry:

Inhalation, ingestion, skin contact, and skin absorption.

### Symptoms and effects, both acute and delayed:

No specific symptom data available.

Reproductive or genetic defect hazard. Treat symptomatically.

**Eyes** Causes serious eye damage.

**Skin** May be harmful in contact with skin. May cause an allergic skin reaction. Causes severe skin burns and eye damage.

**Ingestion** Harmful if swallowed.

## SECTION 12. ECOLOGICAL INFORMATION

### Toxicity

Harmful to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

| Ingredient                                                                                                                               | 96 hr LC50 fish, mg/L        | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L                      |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------------------|----------------------------------------|
| Trimethylhexamethylenediamine - (25620-58-0)                                                                                             | 172.00, Leuciscus idus       | 31.50, Daphnia magna       | 29.50, Scenedesmus subspicatus         |
| Polyoxypropylenediamine - (9046-10-0)                                                                                                    | 15.00, Oncorhynchus mykiss   | 80.00, Daphnia magna       | 2.10, Pseudokirchneriella subcapitata  |
| Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, reaction products with 2,2,4(or 2,4,4)-trimet - (111850-23-8) | No data available.           | No data available.         | No data available.                     |
| Isophorone diamine - (2855-13-2)                                                                                                         | 110.00, Leuciscus idus       | 17.40, Daphnia magna       | 37.00, Scenedesmus subspicatus         |
| Phenol - (108-95-2)                                                                                                                      | 3.73, Oncorhynchus gorbuscha | 3.29, Ceriodaphnia dubia   | 46.42, Pseudokirchneriella subcapitata |

**Safety Data Sheet**  
**WEST SYSTEM® 207 Special Clear Hardener**

Revision Date:  
6 February, 2026

| Ingredient | 96 hr LC50 fish,<br>mg/L | 48 hr EC50<br>crustacea,<br>mg/L | ErC50 algae,<br>mg/L |
|------------|--------------------------|----------------------------------|----------------------|
|            |                          |                                  |                      |

**Persistence and degradability**

There is no data available on the preparation itself.

**Bioaccumulative potential**

No available information

**Mobility in soil**

No available information

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB/vPvM chemicals.

**Other adverse effects**

No available information

## SECTION 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

Observe all federal, provincial and local regulations when disposing of this substance.

## SECTION 14. TRANSPORT INFORMATION

Not regulated for packages under 5L (1.3 gallons) or 5.0 kg (11 lbs).



|                      |                                                  |                                              |                  |
|----------------------|--------------------------------------------------|----------------------------------------------|------------------|
|                      | <b>DOT (Domestic Surface<br/>Transportation)</b> | <b>IMO / IMDG (Ocean<br/>Transportation)</b> | <b>ICAO/IATA</b> |
| <b>UN<br/>number</b> | UN2735                                           | UN2735                                       | UN2735           |

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

**UN proper shipping name** Polyamines, liquid, corrosive, n.o.s.(Polyoxypropylenediamine) Polyamines, liquid, corrosive, n.o.s.(Polyoxypropylenediamine) Polyamines, liquid, corrosive, n.o.s.(Polyoxypropylenediamine)

**Transport hazard class(es)** Class: 8 Sub Class: Not Applicable Class: 8 Sub Class: Not Applicable Class: 8 Sub Class: Not Applicable

**Packing group** II II II

### Environmental hazards

IMDG Marine Pollutant: No;

### Special precautions for user

No available information

## SECTION 15. REGULATORY INFORMATION

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

### Toxic Substance Control Act (TSCA)

| CAS Number   | Ingredient                                                                                                               | Toxic Substance Control Act (TSCA) | Comments     | Status |
|--------------|--------------------------------------------------------------------------------------------------------------------------|------------------------------------|--------------|--------|
| 0002855-13-2 | Isophorone diamine                                                                                                       | Yes                                |              | ACTIVE |
| 0000108-95-2 | Phenol                                                                                                                   | Yes                                |              | ACTIVE |
| 0111850-23-8 | Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, reaction products with 2,2,4(or 2,4,4)-trimet | Yes                                | UVCB FRI; XU | ACTIVE |
| 0009046-10-0 | Polyoxypropylenediamine                                                                                                  | Yes                                | XU           | ACTIVE |
| 0025620-58-0 | Trimethylhexamethylenediamine                                                                                            | Yes                                |              | ACTIVE |

### EPCRA 302 Extremely Hazardous:

Phenol

### EPCRA 313 Toxic Chemicals:

Phenol

# Safety Data Sheet

## WEST SYSTEM® 207 Special Clear Hardener

Revision Date:  
6 February, 2026

### Proposition 65 - Carcinogens (>0.0%):

Polyoxypropylenediamine

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Polyoxypropylenediamine], which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16. OTHER INFORMATION

Revision Date

6 February, 2026

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

**Safety Data Sheet**  
**WEST SYSTEM® 207 Special Clear Hardener**

**Revision Date:**  
**6 February, 2026**

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**End of Document**